Notice of Allowability	Application No.	Applicant(s)
	09/921,334	LIFSON, ALEXANDER
	Examiner	Art Unit
	Marc E. Norman	3744
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>supplemental declaration filed 10/9/07</u> .		
2. The allowed claim(s) is/are <u>1-3,11-13,15,16,19,21-23,25,27,28 and 39-53</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	E	-to-t Ameliantian
 Notice of References Cited (PTO-892) Divide of Draftperson's Patent Drawing Review (PTO-948) 	5. ☐ Notice of Informal Page 16. ☐ Interview Summary	• •
	Paper No./Mail Date	ė .
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. Examiner's Amendr	nent/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	nt of Reasons for Allowance
	9. Other	

REASONS FOR ALLOWANCE

Claims 1-3, 11-13, 15, 16, 19, 21-23, 25, 27, 28, and 39-53 are allowed.

The following is an examiner's statement of reasons for allowance:

As per independent claim 1, the prior art does not teach the system combination recited, and in particular the limitation on means for rapidly pulsing he solenoid valve in the bypass line whereby the rate of flow of bypass to the suction line is modulated.

As per independent claim 3, prior art does not teach the system combination recited, and in particular the limitation on means for rapidly pulsing the solenoid valve in the economizer circuit whereby the rate of the economizer flow to the compressor is modulated.

As per claims 13, 16, 23, and 28, the prior art does not teach a air conditioning/refrigeration system or capacity modulated compressor combinations as recited, and in particular the limitation wherein the suction/solenoid line valve in the fully closed position is alternated between the fullypermits a limited fluid flow through the refrigeration fluid suction line.

As per independent claims 39, 43, and 48, the prior art does not teach a air conditioning/refrigeration system/method combinations as recited, and in particular the limitation wherein a limited flow is permitted through the refrigerant flow line when the suction line valve is in the fully closed position.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue Art Unit: 3744

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marc E. Norman whose telephone number is 571-272-4812. The examiner can normally be reached on Mon.-Fri., 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl Tyler can be reached on 571-272-4834. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MN

MARC NORMAN PRIMARY EXAMINER